Volume 175 1988

FEBS

# European Journal of Biochemistry

**Honorary Chairman**
Frederick Sanger (Cambridge)

**Managing Editors**
Philipp Christen (Zürich), Michael J. Clemens (London), S. P. Datta (London), Eberhard Hofmann (Leipzig) *reviews editor*, Louis Hue (Bruxelles), Pierre Jollès (Paris), Claude Liébecq (Liège) *senior managing editor*, Walter Neupert (München), David G. Nicholls (Dundee), and Cees Veeger (Wageningen)

**Editorial-Advisory Board**
R. Arnon (Rehovot), S. Avrameas (Paris), B. E. C. Banks (London), A. Bernardi (Gif-sur-Yvette), H. Betz (Heidelberg), T. A. Bickle (Basel), J. Bremer (Oslo), A. Cornish-Bowden (Marseille), R. Cortese (Heidelberg), C. Crane-Robinson (Portsmouth), M. Crompton (London), J. Demaille (Montpellier), L. B. Dolapchiev (Sofiya), J. O. Dolly (London), H. Durchschlag (Regensburg), J. Duszynski (Warszawa), H. Eisenberg (Rehovot), H. Fasold (Frankfurt), J. Filipski (Paris), J. Finne (Turku), A. Fontana (Padova), F. Franěk (Praha), D. C. Gallwitz (Göttingen), G. P. Georgiev (Moskva), S. Ghisla (Konstanz), F. Goñi (Bilbao), H. Grosjean (Rhode-St-Genèse), D. G. Hardie (Dundee), D. H. Hayes (Paris), C.-H. Heldin (Uppsala), F. W. Hemming (Nottingham), A. Henschen-Edman (Martinsried), H. Hilz (Hamburg), F. Hofmann (Homburg), F. Hucho (Berlin), M. Jacob (Strasbourg), K. H. Jakobs (Heidelberg), H. Jörnvall (Stockholm), K. Jungermann (Göttingen), M. Klingenberg (München), W. N. Konings (Haren), R. Kraayenhof (Amsterdam), G. Kreil (Salzburg), L. Lehle (Regensburg), J.-M. Lhoste (Orsay), K. Martinek (Praha), M. Monsigny (Orléans), A. Paraf (Monnaie), I. Pecht (Rehovot), G. Pettersson (Lund), L. A. Pinna (Padova), A. Puigserver (Marseille), T. A. Rapoport (Berlin), J. G. Reich (Berlin), J. Rétey (Karlsruhe), J. Ricard (Marseille), E. Rickli (Bern), H. Rüterjans (Frankfurt), M. V. Saraste (Helsinki), M. C. Scrutton (London), V. Sgaramella (Pavia), A. E. Sippel (Heidelberg), V. P. Skulachev (Moskva), C. Sluse-Goffart (Liège), J. M. Tager (Amsterdam), I. P. Trayer (Birmingham), V. Ullrich (Konstanz), P. Venetianer (Szeged), A. Verbert (Villeneuve-d'Ascq), P. V. Vignais (Grenoble), J. F. G. Vliegenthart (Utrecht), K. von Figura (Göttingen), R. J. P. Williams (Oxford), K. W. A. Wirtz (Utrecht), A. V. Xavier (Lisboa), W. Zillig (Martinsried), H. Zuber (Zürich)

**Published by Springer International**
**on behalf of the Federation of European Biochemical Societies**

The exclusive copyright for all languages and countries, including the rights for photographic reproduction, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal, also in microform, is vested in the Federation of European Biochemical Societies.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted that such names are exempt from the relevant protective laws and regulations and may accordingly be used freely by anyone.

Individuals may reproduce material published in this journal when writing a review or book as long as they make proper acknowledgement to the origin of the material and obtain the author(s)' permission if this condition applies.

Springer Verlag · Berlin · Heidelberg · New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

Printed in Germany

Copyright © by the Federation of European Biochemical Societies 1988

# Volume 175 1988

## Table of contents

No. 1 1–198 issued on July 15, 1988
No. 2 199–438 issued on August 1, 1988
No. 3 439–680 issued on August 15, 1988

Corrections 679

### Reviews

Ecdysteroid-regulated gene expression in *Drosophila melanogaster*
*O. Pongs* 199–204

Import of proteins into mitochondria: a multi-step process
*N. Pfanner, F.-U. Hartl and W. Neupert* 205–212

### Nucleic acids, protein synthesis, and molecular genetics

A protein covalently bound to ColE1 DNA
*Y. F. Drygin, K. L. Zuklys, A. V. Terskich and A. A. Bogdanov* 57– 63

Excess antisense RNA from infectious recombinant SV40 fails to inhibit expression of a transfected, interferon-inducible gene
*S. M. Kerr, G. R. Stark and I. M. Kerr* 65– 73

Studies on the mechanism of translational enhancement by the 5′-leader sequence of tobacco mosaic virus RNA
*D. E. Sleat, R. Hull, P. C. Turner and T. M. A. Wilson* 75– 86

Importance of polysomal mRNA-associated polypeptides for protein synthesis initiation in yeast
*F. Herrera, L. Triana and I. Bosch* 87– 92

Physiological stresses inhibit guanine-nucleotide-exchange factor in Ehrlich cells
*A. G. Rowlands, K. S. Montine, E. C. Henshaw and R. Panniers* 93– 99

Quantitative determination of methylated CpG in satellite DNA I and in L1Rn DNA sequences extracted from rat kidney tissue and from rat kidney cell lines
*R. Dante* 135–139

Cell-free-synthesized interleukin-6 (BSF-2/IFN-$\beta$2) exhibits hepatocyte-stimulating activity
*T. Geiger, T. Andus, J. Bauer, H. Northoff, U. Ganter, T. Hirano, T. Kishimoto and P. C. Heinrich* 181–186

Nucleotide sequence and expression in *Escherichia coli* of the gene coding for sphingomyelinase of *Bacillus cereus*
*A. Yamada, N. Tsukagoshi, S. Udaka, T. Sasaki, S. Makino, S. Nakamura, C. Little, M. Tomita and H. Ikezawa* 213–220

Molecular biology of pyridine nucleotide biosynthesis in *Escherichia coli* – Cloning and characterization of quinolinate synthesis genes *nadA* and *nadB*
*R. Flachmann, N. Kunz, J. Seifert, M. Gütlich, F.-J. Wientjes, A. Läufer and H. G. Gassen* 221–228

DNA primase activity found in an $\alpha$-like DNA polymerase obtained from *Halobacterium halobium*
*M. Nakayama, K. Ben-Mahrez and M. Kohiyama* 265–270

Control of the tRNA-*tufB* operon in *Escherichia coli* – 1. rRNA gene dosage effects and growth-rate-dependent regulation
*J. H. M. Van Delft, H. M. Verbeek, P. J. De Jong, D. S. Schmidt, A. Talens and L. Bosch* 355–362

Control of the tRNA-*tufB* operon in *Escherichia coli* – 2. Mechanisms of the feedback inhibition of *tufB* expression studied *in vivo* and *in vitro*
*J. H. M. Van Delft, A. Talens, P. J. De Jong, D. S. Schmidt and L. Bosch* 363–374

Control of the tRNA-*tufB* operon in *Escherichia coli* – 3. Feedback inhibition of *tufB* expression by an EF-Tu with a deletion in the guanine-nucleotide-binding domain
*J. H. M. Van Delft and L. Bosch* 375–378

Only one out of the three strong ribosomal binding sites of the early region of bacteriophage T7 exhibits high translational efficiency in fragments of about 30 base pairs
*H. P. Fatscher, R. M. Geisen and E. Fuchs* 461–465

Destabilization of tubulin mRNA during heat shock in *Tetrahymena pyriformis*
*R. Cóias, L. Galego, I. Barahona and C. Rodrigues-Pousada* 467–474

Tertiary structure of *Escherichia coli* $tRNA_3^{Thr}$ in solution and interaction of this tRNA with the cognate threonyl-tRNA synthetase
*A. Theobald, M. Springer, M. Grunberg-Manago, J.-P. Ebel and R. Giege* 511–524

A major nucleolar protein, nucleolin, induces chromatin decondensation by binding to histone H1
*M. S. Erard, P. Belenguer, M. Caizergues-Ferrer, A. Pantaloni and F. Amalric* 525–530

Displacement of histones by sperm-specific proteins at different stages of spermatogenesis of squid
*S. N. Kadura and S. N. Khrapunov* 603–607

Rearrangement of chromatin structure during spermatogenesis of squid
*S. N. Khrapunov, S. N. Kadura and A. I. Dragan* 609–613

The role of modifications in oligonucleotides in sequence recognition by *Mva*I restriction endonuclease
*E. A. Kubareva, C.-D. Pein, E. S. Gromova, S. A. Kuznezova, V. N. Tashlitzki, D. Cech and Z. A. Shabarova* 615–618

## Protein chemistry and structure


Three-dimensional structure of acyl carrier protein in solution determined by nuclear magnetic resonance and the combined use of dynamical simulated annealing and distance geometry
*T. A. Holak, M. Nilges, J. H. Prestegard, A. M. Gronenborn and G. M. Clore* 9–15

$^1$H-NMR assignment and folding of the isolated ribonuclease 21–42 fragment
*M. A. Jiménez, M. Rico, J. Herranz, J. Santoro and J. L. Nieto* 101–109

Primary sequence mapping of human apolipoprotein B-100 epitopes — Comparisons of trypsin accessibility and immunoreactivity and implication for apoB conformation
*P.-F. Chen, Y. L. Marcel, C.-Y. Yang, A. M. Gotto, Jr., R. W. Milne, J. T. Sparrow and L. Chan* 111–118

Ligand-triggered conformational perturbations elicit changes at the single cysteinyl residue of spinach calmodulin
*S. Yuan and A. Haug* 119–124

Amino acid sequences of hemoglobins I and II from root nodules of the non-leguminous *Parasponia rigida-rhizobium* symbiosis, and a correction of the sequence of hemoglobin I from *Parasponia andersonii*
*A. A. Kortt, M. J. Trinick and C. A. Appleby* 141–149

The structure of jack bean urease — The complete amino acid sequence, limited proteolysis and reactive cysteine residues
*K. Takishima, T. Suga and G. Mamiya* 151–165

Reductive cleavage and reformation of the interchain and intrachain disulfide bonds in the globular hexameric domain NC1 involved in network assembly of basement membrane collagen (type IV)
*S. Weber, R. Dölz, R. Timpl, J. H. Fessler and J. Engel* 229–236

Analysis of the aromatic $^1$H-NMR spectrum of the kringle 5 domain from human plasminogen — Evidence for a conserved kringle fold
*T. Thewes, V. Ramesh, E. L. Simplaceanu and M. Llinás* 237–249

Influence of the bound nucleotide on the molecular dynamics of actin
*G. Hegyi, L. Szilágyi and J. Belágyi* 271–274

Complex formation of human thrombospondin with osteonectin
*P. Clezardin, L. Malaval, A.-S. Ehrensperger, P. D. Delmas, M. Dechavanne and J. L. McGregor* 275–284

Effect of amino acid substitutions and deletions on the thermal stability, the pH stability and unfolding by urea of bovine calbindin $D_{9k}$
*B. Wendt, T. Hofmann, S. R. Martin, P. Bayley, P. Brodin, T. Grundström, E. Thulin, S. Linse and S. Forsén* 439–445

Porphyrin cytochrome *c*. — pH effects and interaction with cytochrome-*c* oxidase
*J. A. Kornblatt and M. Laberge* 475–479

Purification and characterization of natural and recombinant human plasminogen activator inhibitor-1 (PAI-1)
*M.-C. Alessi, P. J. Declerck, M. De Mol, L. Nelles and D. Collen* 531–540

Structural characterization of a murine myeloid leukaemia inhibitory factor
*R. J. Simpson, D. J. Hilton, E. C. Nice, M. R. Rubira, D. Metcalf, D. P. Gearing, N. M. Gough and N. A. Nicola* 541–547

Cloning of a full-length complementary DNA for fatty-acid-binding protein from bovine heart
*S. Billich, T. Wissel, H. Kratzin, U. Hahn, B. Hagenhoff, A. G. Lezius and F. Spener* 549–556

An EPR study of the rotational dynamics of actins from striated and smooth muscle and their complexes with heavy meromyosin
*M. Mossakowska, J. Belágyi and H. Strzelecka-Gołaszewska* 557–564


## Enzymology


Susceptibility of cartilage collagens type II, IX, X, and XI to human synovial collagenase and neutrophil elastase
*S. J. Gadher, D. R. Eyre, V. C. Duance, S. F. Wotton, L. W. Heck, T. M. Schmid and D. E. Woolley* 1–7

Purification and properties of (*S*)-tetrahydroprotoberberine oxidase from suspension-cultured cells of *Berberis wilsoniae*
*M. Amann, N. Nagakura and M. H. Zenk* 17–25

Rat hepatoma (HTC) cell 6-phosphofructo-2-kinase differs from that in liver and can be separated from fructose-2,6-bisphosphatase
*A. M. Loiseau, M. H. Rider, D. Foret, G. G. Rousseau and L. Hue* 27–32

Kinetics of inhibition of tissue-type and urokinase-type plasminogen activator by plasminogen-activator inhibitor type 1 and type 2
*S. Thorsen, M. Philips, J. Selmer, I. Lecander and B. Åstedt* 33–39

Nucleotide and thioredoxin specificity of the manganese ribonucleotide reductase from *Brevibacterium ammoniagenes*
*A. Willing, H. Follmann and G. Auling* 167–173

Demonstration of a novel ecto-enzyme on human erythrocytes, capable of degrading ADP and of inhibiting ADP-induced platelet aggregation
*J. Lühtje, A. Schomburg and A. Ogilvie* 285–289

Effect of histone H1, poly(ethyleneglycol) and DNA concentration on intermolecular and intramolecular ligation by T4 DNA ligase
*J. Sobczak and M. Duguet* 379–385

The enantiomeric error frequency of aspartate aminotransferase
*S. Kochhar and P. Christen* 433–438

Peripheral inactivation of neurotensin — Isolation and characterization of a metallopeptidase from rat ileum
*H. Barelli, J.-P. Vincent and F. Checler* 481–489

Purification and comparative properties of the cytosolic isocitrate dehydrogenases (NADP) from pea (*Pisum sativum*) roots and green leaves
*R. Chen, P. Le Maréchal, J. Vidal, J.-P. Jacquot and P. Gadal* 565–572

Isolation, molecular properties and kinetic studies of a strict β-fucosidase from *Lactuca sativa* latex — Its possible role in the cell-wall degradation of articulated laticifers
*R. Giordani and G. Noat* 619–625

Purification and characterization of a β-glucosidase from *Evernia prunastri*
*E. Yagüe and M. P. Estévez* 627–632

Partial purification and characterization of cytosolic Tyr-protein kinase(s) from human erythrocytes
*G. Clari, A. M. Brunati and V. Moret* 673–678

## Carbohydrates, lipids and other natural products

Isolation and structure of a novel pyridine derivative from the Algerian newt, *Pleurodeles waltlii*
*T. Yoshida, Y. Iwanami and J. T. Bagnara* 41– 44

Assembly of asparagine-linked oligosaccharides in baby hamster kidney cells treated with castanospermine, an inhibitor of processing glucosidases
*L. Foddy and R. C. Hughes* 291–299

Glycosylation of three molecular forms of human $\alpha_1$-acid glycoprotein having different interactions with concanavalin A — Variations in the occurrence of di-, tri-, and tetra-antennary glycans and the degree of sialylation
*M. F. A. Bierhuizen, M. De Wit, C. A. R. L. Govers, W. Ferwerda, C. Koeleman, O. Pos and W. Van Dijk* 387–394

Structural requirements of lipid A species in activation of clotting enzymes from the horseshoe crab, and the human complement cascade
*H. Takada, S. Kotani, S. Tanaka, T. Ogawa, I. Takahashi, M. Tsujimoto, T. Komuro, T. Shiba, S. Kusumoto, N. Kusunose, A. Hasegawa and M. Kiso* 573–580

Ornithine-containing lipids of some *Pseudomonas* species
*Y. Kawai, I. Yano, K. Kaneda and E. Yabuuchi* 633–641

Biliverdin IXδ and neobiliverdin IXδ, isolated from the ovaries of the marine snail, *Turbo cornutus*
*E. Benedikt, A. Gossauer, H.-P. Köst, W. Miki and K. Yamaguchi* 643–648

## Physical and inorganic biochemistry

Molecular mechanics calculation of geometries of $NAD^+$ derivatives, modified in the nicotinamide group, in a ternary complex with horse liver alcohol dehydrogenase
*P. M. T. De Kok, N. A. Beijer, H. M. Buck, L. A. AE. Sluyterman and E. M. Meijer* 581–585

## Membranes and bioenergetics

Dissociation of the sodium-ion-translocating oxaloacetate decarboxylase of *Klebsiella pneumoniae* and reconstitution of the active complex from the isolated subunits
*P. Dimroth and A. Thomer* 175–180

Localization of a 64-kDa phosphoprotein in the lumen between the outer and inner envelopes of pea chloroplasts
*J. Soll and J. Bennett* 301–307

High-affinity binding of fungal β-glucan fragments to soybean (*Glycine max* L.) microsomal fractions and protoplasts
*E. G. Cosio, H. Pöpperl, W. E. Schmidt and J. Ebel* 309–315

Effect of intracellular pH and potassium ions on a primary transport system for glutamate/aspartate in *Streptococcus mutans*
*S. Noji, Y. Sato, R. Suzuki and S. Taniguchi* 491–495

Phosphorylation of a 51-kDa envelope membrane polypeptide involved in protein translocation into chloroplasts
*G. Hinz and U. I. Flügge* 649–659

## Metabolism and metabolic regulations

Potential role for prostaglandin $F_{2\alpha}$, $D_2$, $E_2$ and thromboxane $A_2$ in mediating the metabolic and hemodynamic actions of sympathetic nerves in perfused rat liver
*M. Iwai, A. Gardemann, G. Püschel and K. Jungermann* 45– 50

Activation of inositol phosphate formation by circulating noradrenaline but not by sympathetic nerve stimulation with a similar increase of glucose release in perfused rat liver
*G. P. Püschel and K. Jungermann* 187–191

Stimulation of uracil nucleotide synthesis in mouse liver, intestine and kidney by ammonium chloride infusion
*D. W. Zaharevitz, E. A. Napier, L. W. Anderson, J. M. Strong and R. L. Cysyk* 193–198

Phorbol 12,13-dibutyrate and mitogens increase fructose 2,6-bisphosphate in lymphocytes — Comparison of lymphocyte and rat-liver 6-phosphofructo-2-kinase
*L. Bosca, M. Mojena, M[a] J. M. Diaz-Guerra and C. Marquez* 317–323

3-Methyladenine, an inhibitor of autophagy, has multiple effects on metabolism
*L. H. P. Caro, P. J. A. M. Plomp, E. J. Wolvetang, C. Kerkhof and A. J. Meijer* 325–329

Identification by amino acid sequencing of three major regulatory phosphorylation sites on rat acetyl-CoA carboxylase
*M. R. Munday, D. G. Campbell, D. Carling and D. G. Hardie* 331–338

Insulin and phorbol ester stimulate phosphorylation of acetyl-CoA carboxylase at similar sites in isolated adipocytes — Lack of correspondence with sites phosphorylated on the purified enzyme by protein kinase C
*T. A. J. Haystead and D. G. Hardie* 339–345

Analysis of sites phosphorylated on acetyl-CoA carboxylase in response to insulin in isolated adipocytes — Comparison with sites phosphorylated by casein kinase-2 and the calmodulin-dependent multiprotein kinase
*T. A. J. Haystead, D. G. Campbell and D. G. Hardie* 347–354

Hepatocyte heterogeneity in response to icosanoids — The perivenous scavenger cell hypothesis
*D. Häussinger and T. Stehle* 395–403

Prokaryotic hopanoids: the biosynthesis of the bacteriohopane skeleton — Formation of isoprenic units from two distinct acetate pools and a novel type of carbon/carbon linkage between a triterpene and D-ribose
*G. Flesch and M. Rohmer* 405–411

Analysis of the *in vivo* phosphorylation state of rabbit skeletal muscle glycogen synthase by fast-atom-bombardment mass spectrometry
*L. Poulter, S.-G. Ang, B. W. Gibson, D. H. Williams, C. F. B. Holmes, F. B. Caudwell, J. Pitcher and P. Cohen* 497–510

A mathematical model of the Calvin photosynthesis cycle
*G. Pettersson and U. Ryde-Pettersson* 661–672

## Signal transduction and molecular neurobiology

The role of nucleoside-diphosphate kinase reactions in G protein activation of NADPH oxidase by guanine and adenine nucleotides
*R. Seifert, W. Rosenthal, G. Schultz, T. Wieland, P. Gierschick and K. H. Jakobs* 51– 55

Phorbol ester prevents the thyroid-stimulating-hormone-induced but not the forskolin-induced decrease of cAMP-dependent protein kinase activity in thyroid cell cultures
*B. Omri, M.-F. Breton, B. Haye, C. Jacquemin and M. Pavlovic-Hournac* 125–133

The subcellular location in rat kidney of the peripheral benzodiazepine acceptor
*G. B. O'Beirne and D. C. Williams* 413–421

## Molecular cell biology

Immunological and biochemical studies on the relationship between two actin-binding proteins, phosphofructokinase and gelsolin
*F. Buss, H. Hinssen and B. M. Jockusch* 251–257

*Bordetella pertussis* adenylate cyclase — Penetration into host cells
*F. Gentile, A. Raptis, L. G. Knipling and J. Wolff* 447–453

Single-cell analysis of the intracellular pH and its regulation during the monocytic differentiation of U937 human leukemic cells
*A. Ladoux, R. Miglierina, I. Krawice, E. J. Cragoe Jr, J. P. Abita and C. Frelin* 455–460

Hyper-regulation of *pyr* gene expression in *Escherichia coli* cells with slow ribosomes — Evidence for RNA polymerase pausing *in vivo*?
*K. F. Jensen* 587–593

Enhancing effect of a phorbol ester and of retinoic acid on glucocorticoid induction of chenodeoxycholate hydroxylation in hepatoma cultures
*M. Lambiotte, T. Cresteil and N. Thierry* 595–601

## Developmental biochemistry and immunology

Production of specific monoclonal antibodies against the active sites of human pancreatic secretory trypsin inhibitor variants by *in vitro* immunization with synthetic peptides
*T. Böldicke, S. Kindt, F. Maywald, G. Fitzlaff, M. Böcher, R. Frank and J. Collins* 259–264

Mapping of six epitopes on haemocyanin subunit *Aa* 6 by immunoelectron microscopy
*P. Billiald, J. Lamy, J. C. Taveau, G. Motta and J. Lamy* 423–431

Indexed in *Current Contents*